


The Velux logo is a red rectangle with the word "VELUX" in white, bold, sans-serif capital letters. A registered trademark symbol (®) is located at the top right of the word.The background image shows a room with a sloped ceiling. Three large, white-framed skylights are installed in the ceiling, providing a view of a city street with buildings and a church spire. In the foreground, there are several potted plants on a wooden shelf. To the right, there are framed pictures on the wall, including a colorful abstract painting and a smaller framed picture.

Blinds and shutters

UK Price List (Includes VAT)
1st February 2023
veluxblindsdirect.co.uk

Contents



Producing high quality
VELUX blinds for more
than 60 years

- 4 Why VELUX®
- 6 Our timeless blinds collection
- 8 Nature Collection
- 10 Combine more products for optimal comfort
- 12 Operation: Select your level of comfort
- 14 Intelligent Home Control solutions
- 16 Installation of VELUX blinds
- 18 Heat Protection: Anti-heat blinds and shutters
- 24 Roller blinds
- 38 Pleated blinds
- 44 Venetian blinds
- 48 Insect screen
- 50 Flat roof window blinds
- 54 How to order your new VELUX blinds
- 55 Extras for your blinds and shutters

Why VELUX®

Your VELUX roof windows deserve original blinds and shutters, for a perfect fit, beautiful design and long-lasting performance.

1

Designed and tested for daily life

All VELUX products are **designed and tested for real life**. Our blinds and shutters are rigorously tested by being opened and closed thousands of times and exposed to extreme weather conditions. We pull, tug and squeeze the material to ensure your new blind retains its colour and shape through years of use. When we are happy with the design, our European factories start production.



2

Easy to install and use

Original VELUX blinds and shutters are **tailor-made for your VELUX roof windows**. This means they always fit perfectly and are easy to install – with no measuring or cutting. The elegant and slim frame design **ensures a perfect looking result**, making the blind almost invisible when not in use.



3

Your colours for your home

Enjoy an extensive choice of blind and shutter types in all styles and colours. You can even create your own customised blind with our **Colour by You** collection. And for a choice of side channels, you can now get a clean, all-white look.



4

For safety and sustainability

VELUX blinds have **cordless designs to ensure safety** in your home. And all our interior blinds are **OEKO-TEX® certified** and guaranteed free from harmful substances. VELUX anti-heat shutters have dual functionality by protecting your room from overheating while actively deterring break-ins.





Discover our timeless collection

From traditional loft spaces to modern kitchen extensions, the VELUX blinds collection has an array of colours, designs and features that will suit any interior and room type.

The VELUX blind collection is developed in partnership with leading international trend experts. Choose from a large variety of fabrics and colours in classic or more modern designs.

We offer three different roller blinds with flat fabrics, two types of pleated blinds, as well as our classic Venetian blinds. All varieties come in a range of colours for you to mix or match by choosing different or similar colours across your rooms and blind types.

Your choice of blind depends entirely on your personal style, the room type, and whether you are looking to create a complete blackout or light dimming effect.

Customise the colour of your blind
If you cannot find the exact colour to match your interior, the Colour by You collection gives you thousands of additional colours to choose from.

Read more on page 31 or at veluxblindsdirect.co.uk/colour




Clean all-white look

VELUX blinds are available with high-quality side channels in your choice of either brushed or white painted aluminium.

Brushed aluminium works exceptionally well with our lacquered wood finish roof windows while the white painted channels become

almost invisible when paired with white VELUX roof windows. Furthermore, thanks to their UV-protection, the bright white will stay unaffected by sunlight.

The side channels are easy to install and designed to complement your VELUX roof windows beautifully.



Blackout or translucent blinds?

Blackout blinds will block any incoming light, making them a preferred choice for bedrooms and children's rooms where darkness is needed for a good night's sleep.

Translucent blinds allow a dimmed light to enter the room while effectively preventing glare. Translucent blinds are suitable for many room types like living rooms, home offices and game rooms.

News

CO₂ reduced
with recycled
materials



More natural by design

Blinds that bring the feeling of nature into your home

Our new Nature Collection of roller blinds come in a range of colours that give the feeling of bringing the peace and tranquility of nature directly into your home.

Designed for maximum light control, perfect fit and long-lasting performance, they are the natural choice for getting the most out of your VELUX roof windows.

They are certified Standard 100 and STeP by OEKO-TEX® (1076-184 DTI) and are primarily made from recycled materials – which halves their carbon footprint compared with other collections – because it's our nature.


Join us on our sustainability journey.
Read more about the collection on page 32.

Nature Collection blinds available March 2023.

Blackout roller blind (DKY)



Translucent roller blind (RFY)





Choose an exterior product for heat protection

See more on page 18



Pick your interior blind for light control

See more from page 24 onwards



Add an interior insect screen for further comfort

See more on page 48

Combine more products for optimal comfort

Pair your blinds with external anti-heat blinds or shutters

Buy your interior blind and anti-heat blind together and **save 10%***

See more on page 46

Select your level of comfort

From manual to fully automated blinds and shutters



Enjoy seamless remote control with VELUX solar or electric blinds and shutters



Upgrade your solar or electric blinds and shutters with VELUX **Intelligent Home Control** solutions for smartphone control and fully automated heat protection

Manual operation

Simple hands-on solution

Your manual VELUX blinds come with a clever and discreet control bar that lets you adjust the blind comfortably.

The blinds run smoothly and can be positioned anywhere on the roof window.

Remote-controlled

Smarter controls with VELUX solar or electric blinds and shutters

Choose VELUX solar or electric blinds and shutters to simplify your home living. These products come with a ready-to-use wall switch for remote operation. And they can easily be upgraded with a range of Intelligent Home Control solutions to cover everyone's needs.



Select solar VELUX blinds and shutters for your manual or solar VELUX roof windows. Installation is easy with no need to run cables.



Select electric VELUX blinds and shutters for your electric VELUX roof windows.

Intelligent Home Control

Let Intelligent Home Control take care of your indoor climate

Unlock the full potential of your solar or electric blinds and shutters with VELUX Intelligent Home Control solutions.

VELUX Touch makes it easy to control multiple VELUX solar or electric roof windows, blinds and shutters, with no dependency on Wi-Fi.

VELUX App Control lets you control your VELUX solar or electric products right from your phone – at home or on the go.

VELUX ACTIVE with NETATMO automatically improves your indoor climate and offers seamless control of your VELUX solar or electric products by smartphone or voice commands. To shield your home from excessive heat, you can simply let the system rely on the built-in indoor climate sensors and live weather forecast for automatic operation of your anti-heat blinds and shutters.

See more on page 14 or at [velux.co.uk/smarthome](https://www.velux.co.uk/smarthome)

Everyday home improvement with Intelligent Home Control

Unlock the full potential of your solar or electric blinds and shutters with VELUX Intelligent Home Control – the range of smart control solutions that empowers you to take control of your indoor comfort with ease, while enjoying the full benefits of daylight and fresh air.

Read more at velux.co.uk/smarthome



	VELUX Wall Switch	VELUX Touch	VELUX App Control	VELUX ACTIVE with NETATMO
Product use	Pre-paired for easy control	Indoor comfort at your fingertips	Control your indoors from anywhere	Everyday home improvement
What's included	<ul style="list-style-type: none"> Simple control of one VELUX solar or electrical product 	<ul style="list-style-type: none"> Simple control of multiple VELUX solar or electrical products 	<ul style="list-style-type: none"> Smart control of multiple VELUX solar or electrical products from your phone 	<ul style="list-style-type: none"> Smart control of multiple VELUX solar or electrical products from your phone, with sensor-based automation for a better indoor climate
Connectivity	• N/A	• N/A	• Wi-Fi	• Wi-Fi
VELUX Compatibility	• All VELUX solar or electric operated roof windows, blinds and shutters	• All VELUX solar or electric operated roof windows, blinds and shutters	• All VELUX solar or electric operated roof windows, blinds and shutters	• All VELUX solar or electric operated roof windows, blinds and shutters
Compatible with	• N/A	• N/A	• Apple • Google	• Apple • Google
Price	• Included in all VELUX solar or electric product purchases	• £108.00	• £126.00	• £276.00

We spend
90%
of our time indoors

VELUX exterior heat protection products reduce heat by up to
95%

Daylight increases children's learning ability by up to
15%





Installing your genuine VELUX blinds is easier than you think

 Install your genuine VELUX blinds in 15 minutes

Installing VELUX blinds requires no measuring, trimming, cutting or extra tools. They are made for a perfect fit and everything you need is included in the box.

No need to cut or trim – just click on

Your VELUX roof windows have pre-installed mounting brackets for your blinds. Simply click on the original VELUX blind and add the side channels provided.


No need to measure

You can find your roof window's type and size on the roof window sash – see how on page 54. Then you can be sure that your new blind fits your roof window perfectly without having to take any measurements.

Easily replace your old blinds

It is straightforward to replace tired blinds with new ones from VELUX. You can still order blinds that fit almost every generation of VELUX roof window.





Block the heat on the outside of your roof windows with VELUX **Heat Protection** products and keep your home cool on hot days and nights

Outdoor protection, indoor comfort

Our wide range of VELUX Heat Protection products effectively help you to protect your home from overheating, so you can enjoy a comfortable indoor temperature on even the hottest days or nights. All products can be installed from the inside by yourself or an installer. Discover the blind or shutter that best meets the needs for your home.



Anti-heat blackout shutter

Heat protection, blackout and insulation

See more on page 21

	Heat protection	● ● ● ●
	Blackout	● ● ● ●
	Insulation	● ●
	Noise reduction	● ● ●
	Prevents burglary	● ● ●



Anti-heat blackout blind

Heat protection and blackout

See more on page 22

	Heat protection	● ● ●
	Blackout	● ● ●
	Insulation	●
	Noise reduction	● ● ●
	Prevents burglary	●




Anti-heat blind

Heat protection and transparency

See more on page 23

	Heat protection	● ● ●
	Blackout	
	Insulation	
	Noise reduction	● ● ●
	Prevents burglary	



0000

Indoor climate

- Heat protection, blackout and insulation

	Heat protection	● ● ● ●
	Blackout	● ● ● ●
	Insulation	● ●
	Noise reduction	● ● ●
	Prevents burglary	● ● ●

Intelligent Home Control

- Combine your VELUX solar and electric product with our Intelligent Home Control solutions for multiple product operation, scheduling and automation

Read more on page 14.

Anti-heat blackout shutter

Take full control of your indoor comfort with the superior heat protection and blackout offered by VELUX anti-heat blackout shutters. The ideal choice for complete year-round protection. The sturdy aluminium shield exterior offers the very best outdoor protection.

- All-in-one protection
- Best heat protection and sun screening

- Total blackout
- Effective winter insulation
- Rain noise reduction
- Effective protection of window and from break-ins
- Available in solar and electric versions with app and remote control
- Can be combined with a decorative interior blind and an insect screen

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	MK04 M04	FK06 F06	5	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08	
Sizes (w×h) cm	55×70	55×78	55×98	55×118	78×98	66×118	70×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140	
	Solar SSL	604.80	604.80	646.80	667.20	687.60	694.80	694.80	722.40	763.20	832.80	825.60	838.80	742.80	866.40	969.60
	Electric SML	454.80	454.80	486.00	501.60	517.20	522.00	522.00	543.60	573.60	626.40	620.40	631.20	558.00	651.60	729.60
	Electric SMH*	-	-	-	-	-	730.80	-	760.80	804.00	-	868.80	883.20	-	-	-
					FFK06	FFK08	FMK06	FMK08	FPK06	FPK08	MMK06	MMK08	FFKF06	FFKF08		
Window size (wxh) in cm:					127×118	127×140	139×118	139×140	155×118	155×140	151×118	151×140	188×118	188×140		
	Solar SSLS for 3in1 and 2in1				1,461.60	1,521.60	1,453.20	1,524.00	1,514.40	1,586.40	1,483.20	1,567.20	2,192.40	2,282.40		

* SMH is designed for VELUX electric top-hung roof windows. KUX 110 control system is needed if you install a SML to a manually operated VELUX roof window. SSL installed on VELUX solar GGL/GGU in widths B---, C--- & F---, a Z0Z 246 kit is needed. 2in1 sizes available from March 2023.

All prices in GBP (£). Prices shown is incl. VAT.



0000

Indoor climate

- Heat protection and blackout

	Heat protection	● ● ●
	Blackout	● ● ●
	Insulation	●
	Noise reduction	● ● ●
	Prevents burglary	●

Intelligent Home Control

- Combine your VELUX solar and electric product with our Intelligent Home Control solutions for multiple product operation, scheduling and automation

Read more on page 14.

Anti-heat blackout blind

Beat the heat with this effective combination. VELUX anti-heat blackout blinds block heat and light, and are ideal for those who want to keep comfortable indoors on hot days and sleep better on warm nights.

- Effective combination
- Great heat protection

- Blocks out light
- Rain noise reduction
- Tough, durable polyester fabric
- Available in solar version with remote control
- Install from inside with or without professional help
- Can be combined with a decorative interior blind and an insect screen

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	MK04 M04	FK06 F06	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	78×98	66×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140
	432.00	432.00	462.00	476.40	490.80	496.80	516.00	544.80	594.00	589.20	600.00	530.40	619.20	692.40

Sizes (w×h) cm	FFK06	FFK08	FMK06	FMK08	FPK06	FPK08	MMK06	MMK08	FFKF06	FFKF08
	127×118	127×140	139×118	139×140	155×118	155×140	151×118	151×140	188×118	188×140
	993.60	1,032.00	1,012.80	1,060.80	1,057.20	1,105.20	1,032.00	1,089.60	1,490.40	1,548.00

For old VELUX roof window generations (VES), a ZOZ 238 installation kit set is needed.
 For VELUX electric GPU roof windows, a ZOZ 229S kit is needed.
 For VELUX solar GGL/GGU in widths B---, C--- & F---, a ZOZ 246 kit is needed.
 2in1 sizes available from March 2023.

All prices in GBP (£). Prices shown is incl. VAT.



5060

Indoor climate

- Heat protection and transparency

	Heat protection	● ● ●
	Blackout	
	Insulation	
	Noise reduction	● ● ●
	Prevents burglary	

Intelligent Home Control

- Combine your VELUX solar and electric product with our Intelligent Home Control solutions for multiple product operation, scheduling and automation

Read more on page 14.

Anti-heat blind

Keep your indoors cool and comfortable all day with VELUX anti-heat blinds that block incoming heat before it ever hits your VELUX roof windows. The ideal choice for home offices or living rooms where you want cooler temperatures and reduced glare on sunny days.

- Effective heat reduction
- Transparent fabric – lets in light and retains the view to the outside
- Rain noise reduction
- Available in solar and electric versions with app and remote control
- Easy installation from inside
- Can be combined with a decorative interior blind and an insect screen

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	MK04 M04	FK06 F06	5	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	78×98	66×118	70×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140
	381.60	381.60	408.00	422.40	434.40	439.20	-	456.00	482.40	525.60	520.80	530.40	470.40	547.20	612.00
	340.80	340.80	364.80	376.80	388.80	391.20	-	408.00	429.60	470.40	465.60	472.80	420.00	489.60	547.20
	62.40	62.40	62.40	62.40	76.80	72.00	79.20	76.80	76.80	108.00	88.80	100.80	88.80	88.80	108.00
Sizes (w×h) cm	FFK06	FFK08	FMK06	FMK08	FPK06	FPK08	MMK06	MMK08	FFKF06	FFKF08					
	127×118	127×140	139×118	139×140	155×118	155×140	151×118	151×140	188×118	188×140					
	878.40	912.00	895.20	938.40	933.60	976.80	912.00	964.80	1,317.60	1,368.00					

For old VELUX roof window generations (VES), a ZOZ 238 installation kit set is needed.
 For VELUX electric GPU roof windows, a ZOZ 229S kit is needed.
 MSL installed on VELUX solar GGL/GGU in widths B---, C--- & F---, a ZOZ 246 kit is needed.
 2in1 sizes available from March 2023.


All prices in GBP (£). Prices shown is incl. VAT.

Set the scene for
daytime living and
restful nights with
VELUX roller blinds




Colour options

Standard colours



Trend colours



Installation

- Quick and easy installation with patented mounting brackets

Intelligent Home Control

- Combine your VELUX solar and electric product with our Intelligent Home Control solutions for multiple product operation, scheduling and automation

Read more on page 14.

Certifications

- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production

Translucent roller blind

VELUX translucent roller blinds provide basic privacy whilst still allowing in natural light. Perfect for living rooms, offices and playrooms.

- Softens incoming light and provides privacy
- Available with white or brushed aluminium side channels
- Available in solar, electric or manual operation
- Combine with an exterior shutter or anti-heat blind for effective heat protection. Read more on page 20

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	MK04 M04	FK06 F06	5	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	78×98	66×118	70×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140
		□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
Solar RSL	Standard	187.20	187.20	194.40	204.00	206.40	208.80	208.80	213.60	220.80	244.80	235.20	240.00	220.80	244.80	264.00
	Trend	201.60	201.60	208.80	218.40	220.80	223.20	223.20	228.00	235.20	259.20	249.60	254.40	235.20	259.20	278.40
Electric RML	Standard	177.60	177.60	184.80	194.40	196.80	199.20	199.20	204.00	211.20	235.20	225.60	230.40	211.20	235.20	254.40
	Trend	192.00	192.00	199.20	208.80	211.20	213.60	213.60	218.40	225.60	249.60	240.00	244.80	225.60	249.60	268.80
Manual RFL	Standard	81.60	81.60	88.80	98.40	100.80	103.20	103.20	108.00	115.20	139.20	129.60	134.40	115.20	139.20	158.40
	Trend	96.00	96.00	103.20	112.80	115.20	117.60	117.60	122.40	129.60	153.60	144.00	148.80	129.60	153.60	172.80

KUX 110 control system is needed if you install a RML to a manually operated VELUX roof window. To order the blind with white side channels, simply add WL to the end of your product code.

All prices in GBP (£). Prices shown is incl. VAT.




Roller blinds



Colour options

Standard colours



Trend colours



Blackout roller blind

The VELUX blackout roller blind offers blackout for darkness anytime. Ideal for bedrooms to ensure a good night's sleep or daytime nap.

- Fabric offers complete blackout
- Available with white or brushed aluminium side channels
- Available in solar, electric or manual operation
- Combine with an exterior shutter or anti-heat blind for effective heat protection. Read more on page 20

Installation

- Quick and easy installation with patented mounting brackets

Intelligent Home Control

- Combine your VELUX solar and electric product with our Intelligent Home Control solutions for multiple product operation, scheduling and automation

Read more on page 14.

Certifications

- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	MK04 M04	FK06 F06	5	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	78×98	66×118	70×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140
Solar DSL	Standard	187.20	187.20	194.40	204.00	206.40	208.80	208.80	213.60	220.80	244.80	235.20	240.00	220.80	244.80	264.00
	Trend	201.60	201.60	208.80	218.40	220.80	223.20	223.20	228.00	235.20	259.20	249.60	254.40	235.20	259.20	278.40
Electric DML	Standard	177.60	177.60	184.80	194.40	196.80	199.20	199.20	204.00	211.20	235.20	225.60	230.40	211.20	235.20	254.40
	Trend	192.00	192.00	199.20	208.80	211.20	213.60	213.60	218.40	225.60	249.60	240.00	244.80	225.60	249.60	268.80
Manual DKL	Standard	81.60	81.60	88.80	98.40	100.80	103.20	103.20	108.00	115.20	139.20	129.60	134.40	115.20	139.20	158.40
	Trend	96.00	96.00	103.20	112.80	115.20	117.60	117.60	122.40	129.60	153.60	144.00	148.80	129.60	153.60	172.80


KUX 110 control system is needed if you install a DML to a manually operated VELUX roof window. To order the blind with white side channels, simply add WL to the end of your product code.

All prices in GBP (£). Prices shown is incl. VAT.




Colour options

Standard colours



Trend colours



Installation

- Quick and easy installation with patented mounting brackets

Certifications

- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production

Duo blackout roller blind

The VELUX duo blackout roller blind is a blackout roller and a translucent pleated blind in one. Choose any colour blackout roller blind combined with a white translucent pleated blind.

- Two ways to control light in one solution – blackout the room or soften incoming light
- Choose any colour blackout roller blind combined with white pleated blind (1016)
- Available with white or brushed aluminium side channels
- Available with manual operation
- Combine with an insect screen to keep insects from bugging your sleep. Read more on page 48

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	MK04 M04	FK06 F06	5	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08	
Sizes (w×h) cm	55×70	55×78	55×98	55×118	78×98	66×118	70×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140	
	108.00	108.00	115.20	127.20	132.00	134.40	134.40	141.60	151.20	180.00	168.00	175.20	148.80	180.00	206.40	
Manual DFD	Trend	122.40	122.40	129.60	141.60	146.40	148.80	148.80	156.00	165.60	194.40	182.40	189.60	163.20	194.40	220.80



To order the blind with white side channels, simply add WL to the end of your product code.

All prices in GBP (£). Prices shown is incl. VAT.

COLOUR BY YOU!

The Colour by You Collection lets you choose from thousands of colours to create the perfect blind to match your interior. Get inspired with our colour customisation tool at veluxblindsdirect.co.uk

The Colour by You Collection is available for translucent roller blinds, blackout roller blinds and duo blackout roller blinds – all with a choice of all white or brushed aluminium side channels.



- Quick and easy installation on VELUX roof windows.
- OEKO-TEX® Standard 100 certified (1076-184 DTI) – contains no harmful substances.
- Child-safe design eliminates dangling cords to improve safety.
- Combine your VELUX solar and electric products with our Intelligent Home Control solutions for multiple product operation, scheduling and automation.

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	MK04 M04	FK06 F06	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	78×98	66×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140
		201.60	201.60	208.80	218.40	220.80	223.20	228.00	235.20	259.20	249.60	254.40	235.20	259.20	278.40
Solar	RSL	201.60	201.60	208.80	218.40	220.80	223.20	228.00	235.20	259.20	249.60	254.40	235.20	259.20	278.40
	DSL	201.60	201.60	208.80	218.40	220.80	223.20	228.00	235.20	259.20	249.60	254.40	235.20	259.20	278.40
	RML	192.00	192.00	199.20	208.80	211.20	213.60	218.40	225.60	249.60	240.00	244.80	225.60	249.60	268.80
Electric	DML	192.00	192.00	199.20	208.80	211.20	213.60	218.40	225.60	249.60	240.00	244.80	225.60	249.60	268.80
	RFL	96.00	96.00	103.20	112.80	115.20	117.60	122.40	129.60	153.60	144.00	148.80	129.60	153.60	172.80
Manual	DKL	96.00	96.00	103.20	112.80	115.20	117.60	122.40	129.60	153.60	144.00	148.80	129.60	153.60	172.80
	DFD	122.40	122.40	129.60	141.60	146.40	148.80	156.00	165.60	194.40	182.40	189.60	163.20	194.40	220.80

Electric RML and DML as well as solar RSL and DSL can be combined with Intelligent Home Control solutions for multiple product operation, scheduling and automation. Read more about these solutions on page 14.


All prices in GBP (£). Prices shown is incl. VAT.

News

CO₂ reduced with recycled materials



Translucent roller blind RFY



Blackout roller blind DKY

Colour options

Blackout roller blind DKY



Forest 4901

Marsh 4902



Lake 4903

Cave 4904

Translucent roller blind RFY



Clouds 4951

Dunes 4952



Woods 4953

Cliffs 4954

Nature Collection

For design and environmentally conscious consumers, our new Nature Collection blinds come in a range of colours that allow you to bring the peace and tranquility of nature directly into your home. Primarily made from recycled materials, which halves their carbon footprint compared with other collections, they are the natural choice for getting the most out of your VELUX roof windows.

Blackout roller blind DKY

- Blackout – fabric offers complete blackout

Translucent roller blind RFY

- Softens incoming light and provides privacy

Blackout roller blind DKY and Translucent roller blind RFY

- Available with white or brushed aluminium side channels
- Available with manual operation
- Combine with an exterior shutter or anti-heat blind for effective heat protection. Read more on page 20

Installation

- Quick and easy installation with patented mounting brackets


Certifications

- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production


Most sold window sizes	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08
Sizes (w×h) cm	55×78	55×98	55×118	66×118	78×98	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140
Manual operation	DKY 96.00	103.20	112.80	117.60	115.20	122.40	129.60	153.60	144.00	148.80	129.60	153.60	172.80
	RFY 96.00	103.20	112.80	117.60	115.20	122.40	129.60	153.60	144.00	148.80	129.60	153.60	172.80

To order the blind with white side channels, simply add WL to the end of your product code. Available from March 2023.

All prices in GBP (£). Prices shown is incl. VAT.



Colour options



Roller blinds

Children's Collection

The greatest adventures start with a good night's sleep. VELUX Children's Collection blinds are inspirational and cheerful designs made for children's rooms. Available as blackout blind or as duo blackout blind that combines blackout and light dimming in one solution.

Blackout roller blind DKL

- Blackout – blocks out all light

Duo blackout roller blind DFD

- Two ways to control light in one solution – blackout the room completely or soften incoming light
- Choose any Children's Collection blackout roller blind combined with white pleated blind (1016)

Blackout roller blind DKL and Duo blackout roller blind DFD

- Available with white or brushed aluminium side channels
- Available with manual operation
- Combine with an insect screen to keep insects from bugging your sleep. Read more on page 48

Installation

- Quick and easy installation with patented mounting brackets

Certifications

- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	MK04 M04	FK06 F06	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	78×98	66×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140
Manual operation	DKL 96.00	96.00	103.20	112.80	115.20	117.60	122.40	129.60	153.60	144.00	148.80	129.60	153.60	172.80
	DFD 122.40	122.40	129.60	141.60	146.40	148.80	156.00	165.60	194.40	182.40	189.60	163.20	194.40	220.80


To order the blind with white side channels, simply add WL to the end of your product code.

All prices in GBP (£). Prices shown is incl. VAT.




Colour options

Standard colours














Basic blackout blind

The VELUX basic blackout blind is the perfect solution for roof windows manufactured before 2014. Ideal if you simply want to replace your old blind with a cost-effective solution.

 OEKO-TEX® Standard 100 certified (1076-184 DTI) – contains no harmful substances.

 Child-safe design eliminates dangling cords to improve safety.

- Blackout effect
- Stepless positioning
- Only available for VELUX roof windows manufactured before 2014
- Available in 4 colours and comes with a 2-year guarantee

Most sold window sizes	C02	C04	F06	M04	M06	M08	P08	S06	U04	U08
Sizes (w×h) cm	55×78	55×98	66×118	78×98	78×118	78×140	94×140	114×118	134×98	134×140
										
 Manual operation, DBL	57.60	62.40	72.00	69.60	76.80	81.60	91.20	93.60	98.40	110.40

All prices in GBP (£). Prices shown is incl. VAT.



VELUX pleated blinds


A stylish layer of privacy that either softens or blocks daylight entirely





Colour options

Standard colours




1016 1274 1259 1282


Trend colours



1276 1277 1278 1279



1280 1281 1256 1275



1283 1284 1285 1286

Installation

- Quick and easy installation with patented mounting brackets

Intelligent Home Control

- Combine your VELUX solar and electric product with our Intelligent Home Control solutions for multiple product operation, scheduling and automation

Read more on page 14.

Certifications

- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production

Translucent pleated blind

The VELUX translucent pleated blind is a decorative solution that provides privacy whilst diffusing soft natural light into your room. Adjust the blind from both the top and the bottom of the roof window* to let in exactly the right amount of light.

- Softens incoming light and provides privacy
- A flying blind design that can be placed anywhere on the roof window*
- Available with white or brushed aluminium side channels
- Available in solar, electric or manual operation
- Combine with an exterior shutter or anti-heat blind for effective heat protection. Read more on page 20

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	MK04 M04	FK06 F06	5	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08	
Sizes (w×h) cm	55×70	55×78	55×98	55×118	78×98	66×118	70×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140	
	Standard	201.60	201.60	208.80	218.40	220.80	225.60	225.60	230.40	240.00	266.40	254.40	261.60	237.60	264.00	288.00
	Trend	216.00	216.00	223.20	232.80	235.20	240.00	240.00	244.80	254.40	280.80	268.80	276.00	252.00	278.40	302.40
	Standard	192.00	192.00	199.20	208.80	211.20	216.00	216.00	220.80	230.40	256.80	244.80	252.00	228.00	254.40	278.40
	Trend	206.40	206.40	213.60	223.20	225.60	230.40	230.40	235.20	244.80	271.20	259.20	266.40	242.40	268.80	292.80
	Standard	96.00	96.00	103.20	112.80	115.20	120.00	120.00	124.80	134.40	160.80	148.80	156.00	132.00	158.40	182.40
	Trend	110.40	110.40	117.60	127.20	129.60	134.40	134.40	139.20	148.80	175.20	163.20	170.40	146.40	172.80	196.80

KUX 110 control system is needed if you install a FML to a manually operated VELUX roof window. To order the blind with white side channels, simply add WL to the end of your product code.
* Manual version only


All prices in GBP (£). Prices shown is incl. VAT.





Colour options

Standard colours



Trend colours



Blackout energy pleated blind

VELUX blackout energy pleated blinds provide both blackout and insulation. Perfect for bedrooms that need blackout at night and extra insulation. Adjust the blind from both the top and the bottom of the roof window* to let in exactly the right amount of light.

- Blackout for a great night's sleep or a nap during the day
- Insulation for increased comfort
- A flying blind design that can be placed anywhere on the roof window*
- Available with white or brushed aluminium side channels
- Available in solar, electric or manual operation
- Combine with an insect screen to keep insects from bugging your sleep. Read more on page 48

Installation

- Quick and easy installation with patented mounting brackets

Intelligent Home Control

- Combine your VELUX solar and electric product with our Intelligent Home Control solutions for multiple product operation, scheduling and automation

Read more on page 14.

Certifications

- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	MK04 M04	FK06 F06	5	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	78×98	66×118	70×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140
		□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
Solar FSC	Standard	213.60	213.60	220.80	232.80	237.60	240.00	240.00	247.20	256.80	285.60	273.60	280.80	254.40	285.60	312.00
	Trend	228.00	228.00	235.20	247.20	252.00	254.40	254.40	261.60	271.20	300.00	288.00	295.20	268.80	300.00	326.40
Electric FMC	Standard	204.00	204.00	211.20	223.20	228.00	230.40	230.40	237.60	247.20	276.00	264.00	271.20	244.80	276.00	302.40
	Trend	218.40	218.40	225.60	237.60	242.40	244.80	244.80	252.00	261.60	290.40	278.40	285.60	259.20	290.40	316.80
Manual FHC	Standard	108.00	108.00	115.20	127.20	132.00	134.40	134.40	141.60	151.20	180.00	168.00	175.20	148.80	180.00	206.40
	Trend	122.40	122.40	129.60	141.60	146.40	148.80	148.80	156.00	165.60	194.40	182.40	189.60	163.20	194.40	220.80

KUX 110 control system is needed if you install a FMC to a manually operated VELUX roof window. To order the blind with white side channels, simply add WL to the end of your product code.
* Manual version only

All prices in GBP (£). Prices shown is incl. VAT.



Save
10%*

From £153.36

Price incl. VAT for size CK02.
Combination package with anti-heat
blind and blackout energy pleated blind,
standard colour, manual operation.

Combine products and save money


VELUX combination packages
bring you the best of both worlds
– an interior blind to control light
combined with an exterior
anti-heat blind to protect
your room from overheating.
Combination packages also save
you 10% compared to buying the
products separately.

*Only available on Standard (not Trend) colours.
No promotional code required.
Discount will be applied automatically.



Heat protection plus blackout

Anti-heat blind +
Blackout roller blind



Heat protection, blackout plus insulation

Anti-heat blind +
Blackout energy pleated blind




Heat protection plus light control

Anti-heat blind +
Translucent roller blind



Let the light in while keeping the bugs out with VELUX insect screen



Insect screen

VELUX insect screens let you enjoy fresh air without the unwanted visitors. The screen is simple to operate, and can be combined with any other VELUX interior or exterior blind. It has transparent net fabric and stows neatly away in the slim top casing when not in use.

- 100% insect-proof material
- Transparent net fabric does not obstruct your view
- Durable, wind-resistant fabric for long-lasting performance
- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production

Determine the correct size

- Measure the inner wall width (A) and height (B) to find the size code and price of your insect screen in the table below
- If you have two heights (B) or heights above 2400 mm – two insect screens and one connector set Z0Z 157 SWL are needed

IMPORTANT: Insect screen size codes may differ from window size code, please measure (A) and (B) and find correct size code in the table below before ordering

Installation

- Quick and easy installation

	A						
	0-438 mm	439-530 mm	531-640 mm	641-760 mm	761-922 mm	923-1120 mm	1121-1285 mm
0-1600 mm	ZIL BK04 123.60	ZIL CK02 115.20	ZIL FK08 152.40	ZIL MK06 152.40	ZIL PK25 186.00	ZIL SK06 189.60	ZIL UK04 194.40
B 1601-2000 mm	SPECIAL ORDER -	ZIL CK06 136.80	ZIL FK08 152.40	ZIL MK06 152.40	ZIL PK06 166.80	ZIL SK06 189.60	ZIL UK10 234.00
2001-2400 mm	SPECIAL ORDER -	SPECIAL ORDER -	ZIL FK08 152.40	ZIL MK10 182.40	ZIL PK10 193.20	ZIL SK10 219.60	ZIL UK10 234.00

All prices in GBP (£). Prices shown is incl. VAT.



Anti-heat blind (MSU)




5070




Blackout blind (DSU)



4550



Insect screen (ZIU)



0000

New generation

For curved and flat glass rooflights

Anti-heat blind

VELUX anti-heat blinds provide light dimming and heat protection to maintain a cool and comfortable room. The blind is discreetly placed inside the rooflight, and is easily installed from the roof when installing the rooflight.

- Reduces overheating
- Semi-transparent fabric for light control and sky view
- Solar-powered blind with remote control
- Not compatible with blackout blind

Blackout blind

VELUX blackout blind for glass rooflights blocks outside light for total darkness, anytime and is perfect for bedrooms. It is discreetly placed inside the rooflight and easily installed from the roof when installing the rooflight.

- Perfect sleep – day or night
- 99.9% blackout
- Great for bedrooms and media rooms
- Solar-powered blind with remote control
- Not compatible with anti-heat blind

Insect screen

VELUX insect screen for glass rooflights lets you enjoy fresh air and a view to the sky without any insects. It comes in a contemporary white design, and is easy to install and simple to remove for cleaning.

- Fresh air and 100% insect-proof
- Durable, transparent net fabric does not obstruct your view
- Can be combined with an anti-heat blind or a blackout blind
- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production



News
New sizes available from autumn 2023


		060060	080080	090060	090090	100100	120090	120120	150080	150100	150120	150150	200060	200100	
Sizes (w×h) cm		60×60	80×80	90×60	90×90	100×100	120×90	120×120	NEW 150×80	NEW 150×100	NEW 150×120	150×150	200×60	200×100	
	Solar MSU	Anti-heat blind	362.40	378.00	369.60	385.20	393.60	412.80	429.60	405.60	433.20	448.80	492.00	440.40	516.00
	Solar DSU	Blackout blind	362.40	378.00	369.60	385.20	393.60	412.80	429.60	405.60	433.20	448.80	492.00	440.40	516.00
	Manual insect screen ZIU	Insect screen	82.80	86.40	85.20	88.80	90.00	94.80	98.40	93.60	99.60	103.20	112.80	100.80	118.80

Solar MSU and DSU can be combined with our Intelligent Home Control solutions for multiple product operation, scheduling and automation. Read more about these solutions on page 14. New sizes available from autumn 2023.

All prices in GBP (£). Prices shown is incl. VAT.



Anti-heat blind



6090



Translucent pleated blind




1016

1259



Blackout energy pleated blind



1045

1047



For dome with glazing*

Anti-heat blind

VELUX anti-heat blind provides light dimming and heat protection so your indoor temperature stays cool and comfortable. This makes it perfect for living rooms with activity during the day. It is easy to install from the inside.

- Reduces solar heating
- Semi-transparent fabric lets in natural light
- Available in solar-powered operation with app and remote control

Translucent pleated blind

VELUX pleated blind for flat roof windows provides soft daylight control in a decorative folding design. It is the perfect choice for living rooms with activity during the day.

- Softly diffuses incoming natural light
- Available in electric operation with app and remote control
- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production

Blackout energy pleated blind

VELUX blackout energy pleated blind for flat roof windows darkens the room and protects against cold. This makes it the ideal choice for bedrooms and living rooms.


- Light dimming and insulating effect
- Available in solar-powered and electric operation with app and remote control
- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX® – sustainable textile production

* Also compatible with curved and flat glass roof windows bought before April 2022.

060060 060090 080080 090090 100100 090120 120120 100150 150150

Sizes (w×h) cm

60×60 60×90 80×80 90×90 100×100 90×120 120×120 100×150 150×150



		060060	060090	080080	090090	100100	090120	120120	100150	150150
Solar MSG	Anti-heat blind	342.00	349.20	356.40	364.80	368.40	379.20	386.40	393.60	-
Solar FSK	Blackout energy pleated blind	337.20	344.40	351.60	358.80	362.40	373.20	381.60	388.80	457.20
Electric FMK	Blackout energy pleated blind	314.40	320.40	327.60	334.80	337.20	348.00	354.00	361.20	426.00
Electric FMG	Translucent pleated blind	304.80	310.80	318.00	324.00	327.60	337.20	344.40	350.40	-

Solar MSG is not compatible with ISD 2093.
Solar MSG and FSK and electric FMG and FMK can be combined with our Intelligent Home Control solutions for multiple product operation, scheduling and automation. Read more about these solutions on page 14.

All prices in GBP (£). Prices shown is incl. VAT.

Order your new VELUX blind or shutter in five easy steps

1

Locate your roof window type and size

Find your roof window type and size by checking the type sign placed either on the left or right side of the roof window sash when it is open.

See picture below for placement of type sign.

2

Select blind or shutter type

Decide on the type of blind or shutter: blackout, light adjustment, heat protection, etc.

3

Select operation

Select solar, electric or manual operation, depending on the placement and type of roof window.

4

Select colour

Each of our blind colours has its own colour code, which you can see on the respective blind pages.


You can order free fabric samples at veluxblindsdirect.co.uk

Please note: precise colour may vary from the printed samples.

5

Place your order

Order on veluxblindsdirect.co.uk or by speaking to one of our dealers or a customer service representative.



Extras for your blinds and shutters



Rod control

ZCZ 080
80 cm

£16.80

ZCT 200 telescopic
100-180 cm

£36.00

The rod makes it easy to operate out-of-reach manual blinds.



Rod adaptor control bar

ZOZ 085

£9.60

Adaptor for manual blinds with control bars supports easy operation with the rod.




Mounting brackets

ZOZ 230

£9.60

For installation of blinds with white side channels and electric or solar-powered interior blinds on older VELUX roof windows without pre-installed mounting brackets.



Installation kit

ZOZ 238

£31.20

For installation of anti-heat blackout blind and electric anti-heat blinds (SSS, MSL or MML) on VELUX solar and electric windows from before 2001.



Installation kit

ZOZ 229S

£54.00

For installation of anti-heat blackout blind and electric anti-heat blinds (SSS, MSL or MML) on VELUX solar and electric top-hung roof windows.

Customer service

Could you use some advice when selecting your blind, or do you have a question about a particular product? Whatever your question, we're here to help and strive to respond promptly to all requests.

 velux.co.uk
 01592 778225
 sales@velux.co.uk


VELUX Company Ltd
Woodside Way
Glenrothes
Fife
Scotland
KY7 4ND

Tel: 01592 778 225


Email: sales@velux.co.uk


Website: velux.co.uk

 facebook.com/VELUXGBI

 twitter.com/VELUXGBI

 pinterest.com/VELUXGBI

 instagram.com/VELUX



TRANSFORMING
SPACES

VELUX RESERVE THE RIGHT TO PRINTING MISTAKES AND ERRORS IN THIS CATALOGUE

© 2023 VELUX GROUP. VELUX® AND VELUX LOGO ARE REGISTERED TRADEMARKS. THERMOTECNOLOGY™ IS A TRADEMARK. THE iO-HOME CONTROL® REGISTERED TRADEMARK AND LOGO ARE OWNED BY THE iO-HOME CONTROL ASSOCIATION.